

Lab 7: graphs

For the lab this week, your task will be to complete the file `GarphsExercises.java`. Use the main function to test your functions and show your examples if you want to sign off.


1. **The two graph representations** For this exercise, we shall consider unlabelled directed graphs whose vertices are identified with integers. Recall that there are two graph representations that are interesting:

- Using arrays of adjacency lists
- Using an adjacency matrix

For the latter, we will simply use elements of type `int[][]`. For the former, we define a class `Graph`. It contains two attributes:

- `adjSucc`, whose i th cell should contain all the vertices j such that (i, j) is an edge of the graph
- `adjPred`, whose i th cell should contain all the vertices j such that (j, i) is an edge of the graph.

- (a) Define an adjacency matrix that correspond to the following graph



- (b) Write the code for the constructor

```
public Graph(boolean[][] adjM)
```

that converts from the adjacency matrix representation to an adjacency list representation.

- (c) Double-check that your function works using the method to print out graphs provided to you. For instance, if you call `g.toDotFile("ex")` in your `main`, you should obtain a file `ex.dot` in your folder. Then you can

```

FloydWarshall( $M$ )
   $D \leftarrow$  a copy of  $M$ 
   $n \leftarrow$  dimension of  $M$ 
  for  $k$  from 0 to  $n - 1$  do
    for  $i$  from 0 to  $n - 1$  do
      for  $j$  from 0 to  $n - 1$  do
        |  $D[i][j] \leftarrow \min(D[i][j], D[i][k] + D[k][j])$ 
      end
    end
  end
  return  $D$ 

```

Figure 1: The Floyd-Warshall algorithm.

copy-paste the content to <https://viz-js.com>, you will have a picture of your graph; alternatively if you have graphviz¹ installed, issuing `dot -Tpng ex.dot > ex.png` in the terminal should generate a graphical representation in `ex.png`.

- (d) Write the code for the method

```
public boolean[][] toMatrix()
```

that converts a `Graph` to its adjacency matrix representation

2. **Computing distances in weighted graphs** Given the adjacency matrix of a weighted graph, where the cell (i, j) contains a positive integer or ∞ (that morally corresponds to having no edges), the *Floyd-Warshall* algorithm depicted in Figure 1 outputs another matrix that gives all distances. The key insight that allows to check that it does its job correctly is that, after the outer loop has been iterated k times, then the cell $D[i][j]$ contains the minimal length of a path that goes from i to j and may use intermediate vertices in the set $\{0, \dots, k - 1\}$.

- (a) What is the time complexity of the Floyd-Warshall algorithm (in function of the number of vertices in the input graph)?

- (b) Implement the function

```
static public int[][] allDistances(int[][] graph)
```

in the class `GraphsExercises` using the Floyd-Warshall algorithm. Since there is no ∞ values in `int` in java, you may use for instance `-1` to represent that instead.

- (c) **Challenge** Implement a function

¹<https://graphviz.org/>; hopefully it is installed by default on the linux machines

```
static public LinkedList<Integer>[] [] allShortestPaths(int[] [] graph)
```

that, instead of just giving the distances, outputs in each cell (i, j) a path of minimal length that goes from i to j .

3. Graph traversals

- (a) Implement the method

```
public LinkedList<Integer> toListDFS(int i)
```

of `Graph` that performs a depth-first search and enumerate all the vertices encountered in order. You may use either recursion or an imperative implementation using a stack, up to you.

- (b) Implement the method

```
public int[] allDistancesFrom(int source)
```

that outputs an array `A` such that `A[target]` contains the distance from `source` to `target` in the graph, assuming that the distance between two vertices is 1 if there is an edge, and ∞ otherwise (as in the previous question, use a dummy value like `-1` if there is no path at all). Hint: use a variation of a BFS - if that helps, a method performing a BFS is provided to you. Looking up the documentation of `LinkedList`, and in particular the `pollLast` method, might be useful.

- (c) **Challenge:** Adapt the previous method to obtain minimal paths.
(d) **Challenge:** Write a class `BFSIterator` extending `Iterator<Integer>` and contains a constructor

```
public BFSIterator(Graph g, int start)
```

that allows to enumerate all the vertices of the graph in a breadth-first manner.